## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing Of Claims:

 (Currently Amended) A method for granting a <u>first</u> user <u>and a second user</u> access to information, comprising:

connecting to an a first one of a plurality of intermediary server servers using a first client processor, wherein the first one of the intermediary servers is associated with a first company; connecting to a second one of the plurality of intermediary servers using a second client processor, wherein the second one of the intermediary servers is associated with a second company, and wherein the first company and the second company are distinct from one another; transferring first client login authentication data provided by the first one of the intermediary servers servers to a host server after the first user has connected to the first

intermediary server servers to a host server after the <u>first</u> user has connected to the <u>first</u> intermediary server; and

transferring second client login authentication data provided by the second one of the intermediary servers to the host server after the second user has connected to the second intermediary server;

granting the <u>first</u> user access to information associated with the host server when the <u>first</u> client login authentication data is transferred to the host server; <u>and</u>

granting the second user access to information associated with the host server when the second client login authentication data is transferred to the host server;

wherein access by the first user to specific information forming a subset of all information associated with the host server is dependent upon: (a) the distinct client login authentication data transferred to the host server associated with the first user; and (b) the distinct company associated with the first intermediary server to which the first client processor had connected; and

ny-fs1\1200801v01 2

wherein access by the second user to specific information forming a subset of all information associated with the host server is dependent upon: (a) the distinct client login authentication data associated with the second user; and (b) the distinct company associated with the second intermediary server to which the second client processor had connected.

- 2. (Currently Amended) The method of claim 1, wherein the step of transferring the <u>first</u> and <u>second</u> client login authentication data to the host server further comprises first transferring the <u>respective</u> client login authentication data to the <u>respective</u> client processor from the <u>respective</u> intermediary server and then transferring the <u>respective</u> client login authentication data to the host server from the <u>respective</u> client processor.
- 3. (Currently Amended) The method of claim 2, wherein each of the first and second client processor processors includes a client software program, the each client software program is used to transfer the respective client login authentication data from the respective intermediary server, and the each client software program is used to transfer the respective client login authentication data to the host server.
- 4. (Currently Amended) The method of claim 3, wherein each of the first and second intermediary servers includes a first server software program for communicating with the respective client software program and the host server includes a second server software program for communicating with the respective client software program.
- 5. (Currently Amended) The method of claim 4, wherein the each client software program comprises a web browser, the each first server software program comprises a first web server software program for providing a first website, and the second server software program comprises a second web server software program for providing a second website.
- 6. (Currently Amended) The method of claim 1, wherein the step of transferring the <u>first</u> and <u>second</u> client login authentication data to the host server further comprises transferring the <u>respective</u> client login authentication data to the host server from the <u>respective</u> intermediary server.

ny-fs1\1200801v01 3

- 7. (Currently Amended) The method of claim 6, wherein each of the first and second client processors includes a client software program, each of the first and second intermediary server servers includes a first server software program, and the host server includes a second server software program, and wherein the respective client software program communicates with the respective first server software program to connect the respective client processor with the respective intermediary server and the respective first server software program communicates with the second server software program to transfer the respective client login authentication data to the host server from the respective intermediary server.
- 8. (Currently Amended) The method of claim 7, wherein the each client software program comprises a web browser, the each first server software program comprises a first web server software program for providing a first website, and the second server software program comprises a second web server software program for providing a second website.
- 9. (Currently Amended) The method of claim 1, wherein each of the <u>first and second</u> client <u>processors</u> is selected from the group including: a) a computer; b) a wireless telephone; and c) a Personal Digital Assistant.
- 10. (Currently Amended) The method of claim 1, further comprising the step of loggingin to each of the <u>first and second</u> intermediary server servers by providing, from the <u>respective</u> client processor, at least one authentication credential associated with the <u>respective</u> user.
- 11. (Currently Amended) The method of claim 10, wherein the step of logging-in further comprises receiving the <u>respective</u> authentication credential and determining if the <u>respective</u> authentication credential matches a correct authentication credential for the <u>respective</u> user.
- 12. (Currently Amended) The method of claim 11, wherein, when the <u>respective</u> authentication credential matches the correct authentication credential, distinct login authentication data is transferred in dependence upon the <u>respective</u> authentication credential provided by the respective user.

4

- 13. (Cancelled)
- 14. (Previously Presented) The method of claim 1, wherein the specific information includes at least one electronic document.
- 15. (Original) The method of claim 14, wherein each electronic document is in the form of a computer file.
- 16. (Original) The method of claim 15, wherein the computer file includes one of at least text data, binary data, still image data, moving image data, and audio data.
- 17. (Original) The method of claim 14, wherein access to the electronic document includes the right to perform at least one of the actions selected from the group including: a) reviewing the electronic document; b) modifying the electronic document; and c) deleting the electronic document.
  - 18-23. (Cancelled)
- 24. (Currently Amended) The method of claim 1, wherein the <u>first and second client</u> login authentication data is transferred via the world wide web.
- 25. (Currently Amended) The method of claim 24, wherein the <u>first and second client</u> login authentication data is transferred in an encrypted format.

26-52 (Cancelled)